

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	216	tamper with resistant with processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:37
S2	41	(tamper with resistant with processor) same ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3) with processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:10
S3	15	(tamper with resistant with processor) same ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3) with processor) same ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) with (communication channel link connect\$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 17:26
S4	0	("US4731842A").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:19
S5	0	("US-4731842").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:19
S6	2	("4731842").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:19
S7	92	(tamper with resistant with processor) and ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3) with processor) and ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) with (communication channel link connect\$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:22
S8	77	S7 not S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:22

EAST Search History

S9	46	(tamper near3 resistant near3 processor) and ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3) near3 processor) and ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) near3 (communication channel link connect\$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:24
S10	39	S9 not S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:22
S11	342	((tamper near3 resistant near3 processor) (secure near3 processor)) and ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3) near3 processor) and ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) near3 (communication channel link connect\$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:32
S12	2	("5,892,900").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:32
S13	134	((tamper near3 resistant near3 processor) (secure near3 processor)) same ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3) with processor) same ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) with (communication channel link connect\$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 17:27
S14	87	((tamper near3 resistant near3 processor) (secure near3 processor)) with ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3) with processor) with ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) with (communication channel link connect\$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 17:49
S15	87	((tamper resistant processor secure processor \$2crypt\$3 \$2cypher\$3 \$2cipher\$3 processor \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3 communication channel link connect\$3 line)) and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 17:57

EAST Search History

S16	2	("5214702").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:57
S17	208	713/175.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 07:03
S18	991	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 07:03
S19	275	tamper with resistant with processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:37
S20	56	(tamper with resistant with processor) same ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3) with processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:37
S21	21	(tamper with resistant with processor) same ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3) with processor) same ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) with (communication channel link connect\$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:31
S22	0	("US4731842A").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:37
S23	0	("US-4731842").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:37
S24	2	("4731842").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:37

EAST Search History

S25	116	(tamper with resistant with processor) and ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3) with processor) and ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3 private secur\$3) with (communication channel link connect\$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:37
S26	95	S25 not S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:37
S27	53	(tamper near3 resistant near3 processor) and ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3) near3 processor) and ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3 private secur\$3) near3 (communication channel link connect\$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:37
S28	43	S27 not S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:37
S29	415	((tamper near3 resistant near3 processor) (secure near3 processor)) and ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3) near3 processor) and ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3 private secur\$3) near3 (communication channel link connect\$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:37
S30	2	("5,892,900").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:37
S31	161	((tamper near3 resistant near3 processor) (secure near3 processor)) same ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3) with processor) same ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3 private secur\$3) with (communication channel link connect\$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:34

EAST Search History

S32	104	((tamper near3 resistant near3 processor) (secure near3 processor)) with ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3) with processor) with ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) with (communication channel link connect\$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:37
S33	104	((tamper resistant processor secure processor \$2crypt\$3 \$2cypher\$3 \$2cipher\$3 processor \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3 communication channel link connect\$3 line)) and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:37
S34	2	("5214702").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:37
S35	284	713/175.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:37
S36	1282	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:37
S37	85	((tamper near3 resistant near3 processor) (secure near3 processor)) same ((\$2crypt\$3 \$2cypher\$3 \$2cipher\$3) with processor) same ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) with (communication channel link connect\$3 line)) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:55
S38	2	("6575396").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:58
S39	2	("6575360").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 16:31

EAST Search History

S40	74853	(first adj3 (link communicat\$3 connect\$3 channel)) and (second adj3 (link communicat\$3 connect\$3 channel)) and ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) with (communication channel link connect\$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:32
S41	1011	(first adj3 (link communicat\$3 connect\$3 channel)) and (second adj3 (link communicat\$3 connect\$3 channel)) and ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) with (communication channel link connect\$3 line)) and (((public and (private secret)) adj key) (asymetric adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:33
S42	466	(first adj3 (link communicat\$3 connect\$3 channel)) and (second adj3 (link communicat\$3 connect\$3 channel)) same ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) with (communication channel link connect\$3 line)) and (((public and (private secret)) adj key) (asymetric adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:34
S43	54	(first adj3 (link communicat\$3 connect\$3 channel)) and (second adj3 (link communicat\$3 connect\$3 channel)) same ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) with (communication channel link connect\$3 line)) and (((public and (private secret)) adj key) (asymetric adj key)) and (((tamper adj resistant) secur\$3) adj3 processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:35
S44	33	(first adj3 (link communicat\$3 connect\$3 channel)) and (second adj3 (link communicat\$3 connect\$3 channel)) same ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) with (communication channel link connect\$3 line)) and (((public and (private secret)) adj key) (asymetric adj key)) and (((tamper adj resistant) secur\$3) adj3 processor) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 10:52

EAST Search History

S45	69	(first adj3 (link communicat\$3 connect\$3 channel)) and ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) adj3 (link communicat\$3 connect\$3 channel)) and (((public and (private secret)) adj key) (asymetric adj key)) and (((tamper adj resistant) secur\$3) adj3 processor) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 10:53
S46	3	("6473860").URPN.	USPAT	OR	ON	2006/02/20 12:26
S47	80	(program application software) near3 distribut\$3 and ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) adj3 (link communicat\$3 connect\$3 channel)) and (((public and (private secret)) adj key) (asymetric adj key)) and (((tamper adj resistant) secur\$3) adj3 processor) and @ay <="2000"	USPAT	OR	ON	2006/02/20 12:28
S48	80	(authentikat\$3 password username key certificate) and (program application software) near3 distribut\$3 and ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) adj3 (link communicat\$3 connect\$3 channel)) and (((public and (private secret)) adj key) (asymetric adj key)) and (((tamper adj resistant) secur\$3) adj3 processor) and @ay <="2000"	USPAT	OR	ON	2006/02/20 12:29
S49	77	(authentikat\$3) and (password username key certificate) and (program application software) near3 distribut\$3 and ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) adj3 (link communicat\$3 connect\$3 channel)) and (((public and (private secret)) adj key) (asymetric adj key)) and (((tamper adj resistant) secur\$3) adj3 processor) and @ay <="2000"	USPAT	OR	ON	2006/02/20 12:29

EAST Search History

S50	77	(authenticat\$3) and (password username key certificate) and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3)and(program application software) near3 distribut\$3 and ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) adj3 (link communicat\$3 connect\$3 channel)) and (((public and (private secret)) adj key) (asymetric adj key)) and (((tamper adj resistant) secur\$3) adj3 processor) and @ay <="2000"	USPAT	OR	ON	2006/02/20 12:29
S51	6	(authenticat\$3) and (password username key certificate) and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) and (program application software) near3 distribut\$3 and ((\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 private secur\$3) adj3 (link communicat\$3 connect\$3 channel)) same (((tamper adj resistant) secur\$3) adj3 processor) and (((public and (private secret)) adj key) (asymetric adj key)) and @ay <="2000"	USPAT	OR	ON	2006/02/20 12:46